	Application No.	Applicant(s)		
Notice of Allowability	10/709,375	CORNEA ET AL.	CORNEA ET AL.	
	Examiner	Art Unit		
	Vishal Patel	3673		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to <u>11/29/05</u> .				
2. X The allowed claim(s) is/are <u>1 and 4-15</u> .				
<ol> <li>Acknowledgment is made of a claim for foreign priority unapplication.</li> <li>All b) Some* c) None of the:         <ol> <li>Certified copies of the priority documents have</li> <li>Certified copies of the priority documents have</li> <li>Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ol> </li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> </ol>	been received. been received in Application cuments have been received	on No  d in this national stage applica		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached				
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date				
(b) I including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1, each sheet. Replacement sheet(s) should be labeled as such in the			back) of	
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)  1.   Notice of References Cited (PTO-892)	5 □ Notice of In	formal Patent Application (PT	O 152\	
2. ☐ Notice of References Cited (P10-692)	_		0-132)	
<ul> <li>3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date</li> <li>4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	<ul> <li>6. ☐ Interview Summary (PTO-413),</li></ul>			
				, <del>-</del>
		7. [_] Ouici	•	

Art Unit: 3673

## **DETAILED ACTION**

1. Claims 1 and 4-15 are allowable. The restriction requirement of claims 1 and 4-15, as set forth in the Office action mailed on 11/1/05, has been reconsidered in view of the allowability of claims to the elected invention pursuant to MPEP § 821.04(a). The restriction requirement is hereby withdrawn as to any claim that requires all the limitations of an allowable claim.

In view of the above noted withdrawal of the restriction requirement, applicant is advised that if any claim(s) presented in a continuation or divisional application include all the limitations of a claim that is allowable in the present application, such claims may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application. Once a restriction requirement is withdrawn, the provisions of 35 U.S.C. 121 are no longer applicable. See *In re Ziegler*, 443 F.2d 1211, 1215, 170 USPQ 129, 131-32 (CCPA 1971). See also MPEP § 804.01.

2. The following is an examiner's statement of reasons for allowance: Prior art discloses a busing having a bushing wall defining an interior of the housing, the bushing wall having openings allowing passage of a hydraulic medium to and from the interior, the openings having an opening wall that at least across a portion of the circumference of the opening walls is formed as a opening and several openings are arranged adjacent one another in a circumferential direction of the bushing but fails to teach or fairly suggest the claimed invention that the openings are bevels having a first wall extending substantially radially, a second wall portion opposite the first wall portion, the second wall portion is part of the bevel, the bevels facing one another are positioned at an acute angle to a radial plane of the bushing wall, the radial plane is

Art Unit: 3673

positioned centrally between the bevels neighboring one another and the acute angle opens radially inwardly toward the interior.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vishal Patel whose telephone number is 571-272-7060. The examiner can normally be reached on 6:30am to 8:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patricia L. Engle can be reached on 571-272-6660. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

VP

February 13, 2006

Vishal Patel

Patent Examiner

Tech. Center 3600